

Web Show options... Results 1 - 10 of about 343 for slab OR slice thickness zoom windowing workstation preference database -2004 -2005 -2006 -2007 -2008 -2009. (0.32 seconds)

1. [PDF] Philips Mx8000 IDT 16 CT Scanner

File Format: PDF/Adobe Acrobat - View as HTML

The **Workstation** is a Philips- exclusive concept designed and developed in the close ... **Slice Thickness**: 0.6, 0.75, 1.5, 3.0 mm and Fused combinations – sequential high quality images tailored to individual diagnostics **preferences**. ... Images can be modified for **window** width and level, **zoom** and pan prior to ... www.catalinaimaging.com/../Philips_Mx8000_IDT_16_C_Scanner_Details.pdf - <u>Similar</u>

2. JPDF TeleRIS™ RPV

File Format: PDF/Adobe Acrobat - View as HTML

Daily image production and application **database** back-up ... either on-line cache or to one or more PACS **workstations**. Protocol parameters include **Window**/level, **zoom**/pan, ... User-defined **thickness slab** re-samplilng for rapid and ... Interactively defined **slice thickness**, spacing, field of ...

www.thinairdata.com/docs/TeleRIS_RPV_DICOM_Features.pdf - Similar

3. [PDF] EQUIPMENT SPECIFICATION DETAIL Exhibit "A" CT-88 GE Lightspeed16 ...

File Format: PDF/Adobe Acrobat - View as HTML

Each work surface can be adjusted to accommodate operator **preferences** and a wide variety of paging with increased **slice thickness** and MIP, as well as book marking Advantage **Windows Workstation** 4.2P with 2 LCD Monitors: ... 2P post-processing software platform, patient list, **database**, and DICOM networking ... www.dmshg.com/../17_CT88%20GE%20LightSpeed%2016%20Elec%20Equip% 20Desc.pd... - <u>Similar</u>

4. 11th Annual Meeting of the European Society of Thoracic Imaging (ESTI)

data analysis assessed the agreement of observer **preference**. Results: Overall image quality of both al slices off a **workstation**. In the 36 patients each segmental with PAT (TE/TR/ α : 0.8/1.9ms/40°; **slab thickness**: 160 mm; voxel mm **slice thickness**, 0.6 reconstruction interval, pitch of 13.5 ms, ...

www.springerlink.com/index/MEXNJDJ874482023.pdf - Similar

by EE de Lange - 2003

5. Medical Image Format FAQ - Part 3

Otherwise the CTI will by **preference** send proprietary GE SOP Classes of the **window** width A 312 - short - **window** center A 314 - short - **window** width B 316 of these files off the RT-11 and on to a **workstation** or PC for conversion. 07-jan-17)) 211 1 ISTHCK **Slice thickness**, mm. 212 1 ICALIB Calibration ... www.dolunie.com/medical-image-lao/html/part3.html - Cached - Similar

6. [PDF] Geophysical Interpretation: From Bits and Bytes to the Big Picture ...

File Format: PDF/Adobe Acrobat choice depends on personal **preference** and experience. Horizons shallower than the **Slice thickness** is interactively controlled by the interpreter, and is usually given time **window**, is a different measure of amplitude. ... **workstations**. 12. The ability to see the data volume, to **zoom** and change perspective, ... www.slb.com/media/services/resources/oilfieldreview/../p23_31.pdf - <u>Similar</u> by H James - <u>Cited by 1 - Related articles - All 5 versions</u>

7. RasMol V2.6-beta-2 Reference Manual

RasMol may instructed not to display a graphics **window** by using the command line If RasMol detects a 'dials box' attached to the user's **workstation**, RasMol also recognises colours in the X server's colour name **database**. the **slab** mode in MAGE is a true **slab**; **slab thickness** is controlled by the ...

www.umass.edu/microbio/rasmoi/distrib/rasman.htm - Cached - Similar

8. filetitle=CHANGETHIS Traduction date=20020803 translator ...

This option allows placing of the **database** on a shared drive of your network so that

Correct this in the **preferences window** or contact your ... machines (**Windows**, but also MacOS 9 and more, and some **workstations**). level window_dicom_width=**Window** width window_dicom_zoom=**Zoom** <\> <1.3> ... dicom.online.fr/lngs/en/rename.ing < Similar</p>

9. [PDF] Page 1 Workflow Oriented Hanging Protocols for Radiology ...


File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
viewing mode, layout, **window** width and level (W/L) settings, **zoom** and sequence, taking into account the possible difference in **slice thickness** (1-4) and the **preference** for a general, multimodality **workstation** These studies can exceed the 2GB limit a process can address on a **Windows** NT **workstation**. ... www.cs.sfu.ca/~stella/papers/2002/spie.hp.pdf - <u>Similar</u>
by A Moise - Cited by 8 - Related articles - All 6 versions

10. [PDF] MacroModel User

File Format: PDF/Adobe Acrobat - View as HTML

and resized as desired using your **workstation's window** manager. ... but may be changed and saved to suit the user's **preferences**. All **windows** are Z-clipping **slab thickness** (controls separation of clipping planes) in the vicinity of the chosen atom (use the Control **Window ZOOM** feature to ...

www.chem.purdue.edu/computation/documents/User70.pdf - Similar



slab OR slice thickness zoom windowing workstation preference database -2004

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google